

## EAST Search History

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
L1	1	"6070224".pn.	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	ON	2007/01/19 16:06
L2	157	@ad<"20020905" and (emulat\$3 with tape with (stor\$3 or device or drive)) and ("703"/\$.ccls. or "710"/\$.ccls. or "711"/\$.ccls. or "360"/\$.ccls. or "713"/\$.ccls.)	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	ON	2007/01/19 18:33
L3	67	2 and ((stor\$3 or sav\$3) with (response or answer or reply))	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	ON	2007/01/19 18:34
L4	67	2 and ((stor\$3 or sav\$3 or captur\$3) with (response or answer or reply))	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	ON	2007/01/19 18:35
L5	0	4 and (personality with logic)	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	ON	2007/01/19 18:35
S1	47	@rlad<"20020905" and (emulat\$3 with tape with stor\$3)	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	ON	2006/04/14 16:15
S2	7	10/230522	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	ON	2007/01/19 16:04
S4	35	S1 and (command\$3 or instruct\$3)	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	ON	2006/04/20 15:50
S5	35	S4 and (send\$3 or transmit\$4 or receiv\$3)	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	ON	2006/04/20 15:50

## EAST Search History

S6	17	S5 and server and interfac\$3	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	ON	2006/04/21 12:14
S8	2	09/822192	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	ON	2006/04/14 16:44
S9	2	09/918900	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	ON	2006/04/14 16:49
S10	6	09/239425	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	ON	2006/04/14 16:49
S11	0	S6 and (personality with logic)	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	ON	2006/04/21 12:16
S12	2	S5 and (personality with logic)	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	ON	2006/04/20 15:51
S13	13	S6 and (tape with manag\$3)	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	ON	2006/04/14 16:54
S14	16	S6 and (tape with (manag\$3 or controller))	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	ON	2006/04/14 16:55
S15	11	S14 and (random with access\$3)	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	ON	2006/04/20 15:52
S16	8	S15 and (sequential with access\$3)	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	ON	2006/04/20 15:52

## EAST Search History

S18	2	09/878696	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	ON	2006/04/14 16:57
S19	0	10/655763	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	ON	2007/01/12 10:43
S20	2	09/918900	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	ON	2006/04/15 12:43
S21	1	"6098148".pn.	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	ON	2006/04/15 12:44
S22	47	@rlad<"20020905" and (emulat\$3 with tape with stor\$3)	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	ON	2006/04/21 12:12
S23	35	S22 and (command\$3 or instruct\$3)	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	ON	2006/04/27 15:35
S24	35	S23 and (send\$3 or transmit\$4 or receiv\$3)	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	ON	2006/04/15 13:18
S25	7	S24 and static	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	ON	2006/04/15 13:19
S26	3	S25 and (dynamic with data)	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	ON	2006/04/15 13:20
S27	2	S24 and (static with data)	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	ON	2006/04/15 13:20

## EAST Search History

S28	47	@rlad<"20020905" and (emulat\$3 with tape with stor\$3)	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	ON	2006/04/20 09:46
S29	34	S28 and command\$3	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	ON	2006/04/20 09:46
S30	203	@rlad<"20020905" and ((emulat\$3 with tape with stor\$3) or (virtual with tape with stor\$3))	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	ON	2006/04/20 15:50
S31	175	S30 and (command\$3 or instruct\$3)	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	ON	2006/04/21 12:13
S32	151	S31 and ((send\$3 or transmit\$4) and receiv\$3)	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	ON	2006/04/21 12:13
S33	78	S32 and server and interfac\$3	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	ON	2006/04/20 15:51
S34	0	S33 and (personality with logic)	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	ON	2006/04/20 15:51
S35	2	S30 and (personality with logic)	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	ON	2006/04/20 16:54
S36	48	S33 and (random with access\$3)	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	ON	2006/04/20 16:28
S37	16	S33 and (sequential with access\$3)	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	ON	2006/04/20 16:28

## EAST Search History

S38	11	S36 and (sequential with access\$3)	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	ON	2006/04/20 15:52
S40	37	S36 not S37	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	ON	2006/04/20 16:28
S41	70	@rlad<"20020905" and (emulat\$3 with tape with (stor\$3 or device))	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	ON	2006/04/27 15:35
S42	57	S41 and (command\$3 or instruct\$3)	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	ON	2006/04/26 12:12
S43	43	S42 and ((send\$3 or transmit\$4) and receiv\$3)	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	ON	2006/04/21 12:13
S44	19	S43 and server and interfac\$3	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	ON	2006/04/21 12:14
S45	0	S44 and (personality with logic)	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	ON	2006/04/21 12:16
S47	47	@rlad<"20020905" and (emulat\$3 with tape with stor\$3)	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	ON	2006/04/21 12:17
S48	35	S47 and (command\$3 or instruct\$3)	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	ON	2006/04/21 12:17
S49	35	S48 and (send\$3 or transmit\$4 or receiv\$3)	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	ON	2006/04/21 12:17

## EAST Search History

S50	17	S49 and server and interfac\$3	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	ON	2006/04/21 12:17
S51	7	S44 not S50	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	ON	2006/04/21 12:18
S52	70	@rlad<"20020905" and (emulat\$3 with tape with (stor\$3 or device))	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	ON	2006/04/26 12:12
S53	12	S52 and (media with (command\$3 or instruct\$3))	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	ON	2006/04/26 14:22
S55	1	"5925119".pn.	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	ON	2006/04/26 14:09
S56	0	S52 and ((non-media or (non adj media) or nonmedia) with (command\$3 or instruct\$3))	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	ON	2006/04/26 14:23
S57	77	@rlad<"20020905" and (emulat\$3 with tape with (stor\$3 or device or drive))	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	ON	2006/04/27 15:38
S59	0	S57 and (read with limit)	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	ON	2006/04/27 16:49
S61	44	S57 and (read with block)	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	ON	2006/04/27 15:47
S62	0	10/655764	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	ON	2006/04/27 16:11

## EAST Search History

S63	4	S57 and ((common or well-known or prevalent or generic) with command)	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	ON	2006/04/28 08:36
S64	78	@rlad<"20020905" and (emulat\$3 with tape with (stor\$3 or device))	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	ON	2007/01/11 16:25
S65	3	S64 and (personality with logic)	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	ON	2007/01/11 16:26
S66	192	@ad<"20020905" and (emulat\$3 with tape with (stor\$3 or device))	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	ON	2007/01/12 14:47
S67	0	S66 and (personality with logic)	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	ON	2007/01/11 16:27
S68	231	@ad<"20020905" and (emulat\$3 with tape with (stor\$3 or device or drive))	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	ON	2007/01/19 18:32
S69	0	S68 and (personality with logic)	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	ON	2007/01/11 16:30
S70	136406	@ad<"20020905" and ( tape with (stor\$3 or device or drive))	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	ON	2007/01/11 16:29
S71	20	S70 and (personality with logic)	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	ON	2007/01/12 14:50
S72	1	"5297124".pn.	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	ON	2007/01/11 16:45

## EAST Search History

S73	1	"6070224".pn.	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	ON	2007/01/11 17:03
S74	1	"5218691".pn.	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	ON	2007/01/12 10:37
S75	1	"6336163".pn.	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	ON	2007/01/12 10:38
S76	611	((@ad<"20020905" or @rlad<"20020905") and ((emulat\$3 with tape with (stor\$3 or device)) or (virtual with tape with stor\$3))	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	ON	2007/01/12 14:49
S77	3	S76 and (personality with logic)	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	ON	2007/01/19 18:35
S78	237	S76 and ((stor\$3 or sav\$3) with (response or answer or reply))	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	ON	2007/01/19 18:34
S79	10	S78 and ((send or sending or sent or transmit\$4) with (stored or saved) with (response or answered or replied))	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	ON	2007/01/12 15:11
S80	287	S76 and ((stor\$3 or sav\$3) with (response or answer or reply or message))	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	ON	2007/01/12 15:11
S81	10	S80 and ((send or sending or sent or transmit\$4) with (stored or saved) with (response or answered or replied))	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	ON	2007/01/12 15:11
S82	1	"6490648".pn.	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	ON	2007/01/12 15:52



## EAST Search History

S83	29	(US-20040044852-\$ or US-20060010275-\$ or US-20030120476-\$ or US-20020002631-\$ or US-20010047471-\$ or US-20020188592-\$ or US-20050204108-\$ or US-20040008484-\$ or US-20040010660-\$).did. or (US-6985916-\$ or US-6529996-\$ or US-6954831-\$ or US-6978325-\$ or US-5925119-\$ or US-6957291-\$ or US-5530845-\$ or US-6226712-\$ or US-6237062-\$ or US-6256706-\$ or US-6954768-\$ or US-5438674-\$ or US-5455926-\$ or US-6275855-\$ or US-6098148-\$ or US-6343342-\$ or US-6640278-\$ or US-5297124-\$ or US-6070224-\$ or US-6336163-\$). did.	US-PGPUB; USPAT	OR	ON	2007/01/12 16:26
S86	1	"5206939".pn.	US-PGPUB; USPAT	OR	ON	2007/01/12 16:43